

# E-DUCATO & DUCATO




**MY25.5 Prices and Specifications** 

Effective from 1st July 2025

# E-DUCATO & DUCATO

MY25 Prices and Specifications

# **Model Trims**



## Panel Van >

## **Ducato Panel Van models include:**

#### **COMFORT & CONVENIENCE**

- Air conditioning (manual on Diesel, automatic on Electric)
- Rear parking sensors
- Cruise control with variable speed limiter (Diesel)
- Two cup holders and mobile phone storage in centre of lower dashboard
- Electric Parking Brake (Electric)
- Electric power steering
- Adjustable driver's seat with lumbar support and armrest
- · Dual passenger bench seat

# TECHNOLOGY & INFOTAINMENT

- 5" DAB Radio Bluetooth® USB (Diesel)
- 7" Colour touchscreen display DAB/ FM/AM/Apple CarPlay/Android Auto™ (Electric)
- Full 7" Digital instrument cluster (Electric)

## **EXTERIOR**

- Side protection strips
- Steel wheels with centre cap
- Twin solid rear doors, opening 180°
- Nearside sliding side loading door.
   Unalazed
- Aerodynamic kit: central spoiler, air guides, active grille shutter
- Twin lens door mirrors with electrically adjustable and heated upper mirror

#### **WINDOW VANS ONLY**

- Twin glazed rear doors, opening 180°
- Glazing to row 2, 3 and nearside sliding side loading door
- Glazed nearside sliding side loading door

## SAFETY/SECURITY


- · Driver's airbag
- Double passenger airbag
- Fixed full height steel bulkhead
- Electronic stability control (ESC)
- Advanced Emergency Braking System (AEBS) pedestrian and cyclist
- Lane Support System
- Traffic Sign Recognition
- Driver Drowsiness Detection
- Intelligent Speed Assist
- Tyre Pressure Monitoring System (TPMS)
- Fix and go kit
- Dead locks
- Perimeter alarm
- Cargo lashing hooks in rear
- Global telematics box

## **N2 MODELS ONLY**

- Reinforced suspension
- 56mph Speed limiter
- Tachograph



# **Model Trims**



## Ducato Chassis / Platform Cab models include:

#### **COMFORT & CONVENIENCE**

- Air conditioning (manual on Diesel, automatic on Electric)
- Cruise control with variable speed limiter (Diesel)
- Two cup holders and mobile phone storage in centre of lower dashboard
- Electric Parking Brake (Electric)
- Electric power steering
- Adjustable driver's seat with lumbar support and armrest
- · Dual passenger bench seat
- Rearview camera static without gridlines

# TECHNOLOGY & INFOTAINMENT

- 5" DAB Radio Bluetooth® USB (Diesel)
- 7" Colour touchscreen display DAB/ FM/AM/Apple CarPlay/Android Auto™ (Electric)
- Full 7" Digital instrument cluster (Electric)

#### **EXTERIOR**

- · Steel wheels with centre cap
- Aerodynamic kit: central spoiler, air guides, active grille shutter
- Twin lens door mirrors with electrically adjustable and heated upper mirror

## SAFETY/SECURITY

- · Driver's airbag
- Double passenger airbag
- Electronic stability control (ESC)
- Advanced Emergency Braking System (AEBS) - pedestrian and cyclist
- Lane Support System
- Traffic Sign Recognition
- · Driver Drowsiness Detection
- · Intelligent Speed Assist
- Tyre Pressure Monitoring System (TPMS)
- Fix and go kit
- Dead locks
- Perimeter alarm
- Global telematics box

#### **CONVERSIONS**


- Electrical interface supply socket
- Special order electrics loom extension
- Exclusion of the rear cab bulkhead (Platform Cab)

## **N2 MODELS ONLY**

- Reinforced suspension
- 56mph Speed limiter
- Tachograph



# **Model Trims**



## Primo Panel Van models include:

## **COMFORT & CONVENIENCE**

- · Electric folding mirrors
- Keyless Entry and Go
- Rearview camera with dynamic gridlines
- Electric Parking Brake
- Electric power steering
- · Automatic Climate Control
- 360° Perimeter parking sensors
- Blind Spot Assist and rear cross path detection
- Rain and dusk sensors and high beam recognition
- Full LED headlamps
- Fog lights with cornering function
- Cruise control with variable speed limiter (Diesel)
- 230V Socket
- Two cup holders and mobile phone storage in centre of lower dashboard
- Adjustable driver's seat with lumbar support and armrest
- · Dual passenger bench seat
- Rearview camera with dynamic gridlines

# TECHNOLOGY & INFOTAINMENT

- 10" Touchscreen radio with TomTom® Navigation, Bluetooth®, Android Auto™, Apple CarPlay™ (AA/CP), Double USB charging port (Type A & Type C)
- Wireless charger
- · Full 7" digital instrument cluster

## **INTERIOR**

- · Chromed air vents
- Leather steering wheel
- Compartment under driver's seat
- · Upgraded seat trim

#### **EXTERIOR**

- · Side protection strips
- Steel wheels with covers (Diesel)
- Twin unglazed rear doors (opening to 180°)
- Nearside sliding side loading door, unglazed
- Aerodynamic kit: central spoiler, air guides, active grille shutter
- Électric twin lens door mirrors with electrically adjustable and heated upper mirror

## WINDOW VAN ONLY

- Twin glazed rear doors, opening 180°
- Glazing to row 2, 3 and nearside sliding side loading door

## SAFETY/SECURITY

- · Driver's airbag
- Double passenger airbag
- · Fixed full height steel bulkhead
- Electronic stability control (ESC)
- Advanced Emergency Braking System (AEBS) - pedestrian and cyclist
- Lane Support System
- Traffic Sign Recognition
- · Driver Drowsiness Detection
- Intelligent Speed Assist
- Tyre Pressure Monitoring System (TPMS)
- Fix and go kit
- Dead locks
- Perimeter alarm
- Cargo lashing hooks in rear
- · Global telematics box

## **N2 MODELS ONLY**

- Reinforced suspension
- 56mph Speed limiter
- Tachograph



# **Prices**

#### IMPORTANT NOTE RE: CONVERSIONS

Any vehicle ordered (including panel vans) for a conversion that changes the base vehicle type approval must be aligned to a Stellantis Certified Convertor within CustomFit Conversion tool by entering the associated vehicle order number. Please note that if the vehicle order number is not inputted into CustomFit Conversion tool then the order/s will be cancelled. It is also important that you discuss your conversion project with the converter before ordering the base vehicle.

https://convertool-xf.stellantis.com/#/login/fiat

	Version Code	Vehicle Classification (N1 3500kg GVW N2 4250kg GVW)	Maximum Indicative Payload ( <i>kg)</i>	Load Space (m³)	Gross Vehicle Weight ( <i>kg)</i>	Combined Electric Range ( <i>Miles</i> )	Basic MRRP	OTR RRP before PIVG* exc. VAT	OTR RRP after PIVG* exc. VAT
PANEL VANS									
E-Ducato Van 35 L3H2 279PS 110kWh Auto MY25.5	505.BG1.2	NI	710	13	3,500	235	£49,485	£50,880	£45,880
E-Ducato Van 40 L3H2 279PS 110kWh Auto MY25.5	505.GG1.2	N2	1,460	13	4,250	263	£50,295	£51,516	£46,516
E-Ducato Van 40 L3H3 279PS 110kWh Auto MY25.5	505.GA1.2	N2	1,435	15	4,250	254	£51,105	£52,326	£47,326
E-Ducato Van 40 L4H2 279PS 110kWh Auto MY25.5	505.HG1.2	N2	1,415	15	4,250	262	£51,105	£52,326	£47,326
E-Ducato Van 40 L4H3 279PS 110kWh Auto MY25.5	505.HA1.2	N2	1,385	17	4,250	252	£51,915	£53,136	£48,136
WINDOW VANS									
E-Ducato Window Van 40 L4H2 279PS 110kWh Auto MY25.5	505.HH1.2	N2	1,415	15	4,250	262	£51,555	£52,776	£47,776
CHASSIS VANS									
E-Ducato Chassis Cab 40 L3H1 279PS 110kWh Auto MY25.5**	505.GC1.2	N2	1,770	-	4,250	N/A	£47,865	£49,086	£44,086

All Manufacturers Recommended Basic Prices are exclusive of VAT, Delivery to Retailer and Number Plates (£995 exc.VAT), Government First Registration Fee (£55) and Vehicle Excise Duty.

On-the-Road (OTR) prices are inclusive of Delivery to Retailer and Number Places, Government First Registration Fee and Vehicle Excise Duty but exclude fuel and insurance. (Prices correct at time of publishing)

(NI) and (N2) Government applied Plug-in Van Grant (referred to as 'Government Incentive') of 35% up to a maximum of £5,000 has been applied to E-Ducato purchase price subject to Government Grant approval. Grant incentive shown is for representative purpose only and is based in this example on the manufacturers total price (subject to change). Please check with your local retailer or fleet sales representative to ensure that the grant calculation is applied to the final purchase price.

<sup>\*</sup> Plug-in Van Grant

<sup>\*\*</sup>Currently there is no PiVG approval for Chassis Cab BEV variants - This version is for large fleet orders only



# **Prices**

#### IMPORTANT NOTE RE: CONVERSIONS

Any vehicle ordered (including panel vans) for a conversion that changes the base vehicle type approval must be aligned to a Stellantis Certified Convertor within CustomFit Conversion tool by entering the associated vehicle order number. Please note that if the vehicle order number is not inputted into CustomFit Conversion tool then the order/s will be cancelled. It is also important that you discuss your conversion project with the converter before ordering the base vehicle.

https://convertool-xf.stellantis.com/#/login/fiat

On The Road (OTR) charge includes delivery to dealer and number plates (£995,00 excl. VAT), VAT on delivery charges and number plates (£139,00), First-Year Vehicle Tax and vehicle First Registration Fee (£55,00).  Total Estimated OTR Price includes Basic Price and OTR charge (incl. VAT).	Version Code	Vehicle Classification (N1 3500kg GVW N2 4250kg GVW)	Maximum Indicative Payload ( <i>kg)</i>	Load Space (m³)	Gross Vehicle Weight <i>(kg)</i>	WLTP CO <sup>2</sup> (g/km)	Basic MRRP	OTR RRP exc. VAT
PANEL VANS								
Ducato Van 35 L2H1 Multijet3 2.2 140PS S&S Manual MY25.5	290.AL3.2	N1	1,500	10	3,500	169-240	£32,055	£33,450
Ducato Van 35 L2H2 Multijet3 2.2 140PS S&S Manual MY25.5	290.AG3.2	N1	1,475	11.5	3,500	169-240	£32,865	£34,260
Ducato Van 35 L2H2 Multijet3 2.2 140PS S&S Auto MY25.5	290.AG4.2	N1	1,415	11.5	3,500	183-320	£34,965	£36,360
Ducato Van 35 L3H2 Multijet3 2.2 140PS S&S Manual MY25.5	290.BG3.2	N1	1,425	13	3,500	169-240	£33,675	£35,070
Ducato Van 35 L3H2 Multijet3 2.2 140PS S&S Auto MY25.5	290.BG4.2	N1	1,365	13	3,500	183-320	£35,775	£37,170
Ducato Van 35 L3H3 Multijet3 2.2 140PS S&S Manual MY25.5	290.BA3.2	NI	1,400	15	3,500	169-240	£34,485	£35,880
Ducato Van 35 L2H2 Multijet3 2.2 140PS S&S Manual Primo MY25.5	290.AG3.2PRI	N1	1,475	11.5	3,500	169-240	£36,365	£37,760
Ducato Van 35 L3H2 Multijet3 2.2 140PS S&S Manual Primo MY25.5	290.BG3.2PRI	N1	1,425	13	3,500	169-240	£37,175	£38,570
Ducato Van 35 L2H2 Multijet3 2.2 140PS S&S Auto Primo MY25.5	290.AG4.2PRI	N1	1,415	11.5	3,500	183-320	£38,465	£39,860
Ducato Van 35 L3H2 Multijet3 2.2 140PS S&S Auto Primo MY25.5	290.BG4.2PRI	N1	1,365	13	3,500	183-320	£39,275	£40,670
WINDOW VANS								
Ducato Window Van 35 L3H2 Multijet3 2.2 140PS S&S Manual MY25.5	290.BH3.2	N1	1,425	13	3,500	169-240	£34,125	£35,520
CHASSIS CAB								
Ducato Chassis Cab 35 L2H1 Multijet 2.2 140PS S&S Manual MY25.5	290.AC3.2	N1	1,735	-	3,500	177-310	£30,705	£32,100
Ducato Chassis Cab 35 L3H1 Multijet 2.2 140PS S&S Manual MY25.5	290.BC3.2	N1	1,740	-	3,500	177-310	£31,245	£32,640
Ducato Chassis Cab 35 L3H1 Multijet3 2.2 140PS S&S Auto MY25.5	290.BC4.2	N1	1,655	-	3,500	177-310	£33,345	£34,740
PLATFORM CAB								
Ducato Platform Cab 35 L3H1 Multijet 2.2 140PS S&S Manual MY25.5	290.BC3.2	N1	1,715	-	3,500	177-310	£31,245	£32,640
DROPSIDE CABS								
Ducato Dropside 35 L3H1 Multijet3 2.2 140PS S&S Manual MY25.5	290.B73.2	Nl	1,475	-	3,500	169-306	£33,945	£35,340
BACK TO BACK								
Ducato Back to Back 35 Multijet3 2.2 140PS S&S Manual MY25.5	290.DC3.2	N1	1,565	-	3,500	N/A	£30,435	£31,830

# **Prices**

#### IMPORTANT NOTE RE: CONVERSIONS

Any vehicle ordered (including panel vans) for a conversion that changes the base vehicle type approval must be aligned to a Stellantis Certified Convertor within CustomFit Conversion tool by entering the associated vehicle order number. Please note that if the vehicle order number is not inputted into CustomFit Conversion tool then the order/s will be cancelled. It is also important that you discuss your conversion project with the converter before ordering the base vehicle.

https://convertool-xf.stellantis.com/#/login/fiat

On The Road (OTR) charge includes delivery to dealer and number plates (£995.00 excl. VAT), VAT on delivery charges and number plates (£199.00), First-Year Vehicle Tax (£345 NI, £171 N2) and vehicle First Registration Fee (£55.00).  Total Estimated OTR Price includes Basic Price and OTR charge (incl. VAT).	Version Code	Vehicle Classification (N1 3500kg GVW N2 4250kg GVW)	Maximum Indicative Payload ( <i>kg)</i>	Load Space (m³)	Gross Vehicle Weight ( <i>kg)</i>	WLTP CO <sub>2</sub> (g/km)	Basic MRRP	OTR RRP exc. VAT
PANEL VANS								
Ducato Van Maxi 35 L3H2 Multijet3 2.2 140PS S&S Manual MY25.5	295.BG3.2	N1	1,310	13	3,500	169-244	£34,125	£35,520
Ducato Van Maxi 35 L4H2 Multijet3 2.2 140PS S&S Manual MY25.5	295.CG3.2	N1	1,265	15	3,500	169-244	£34,935	£36,330
Ducato Van Maxi 35 L4H3 Multijet3 2.2 140PS S&S Manual MY25.5	295.CA3.2	N1	1,235	17	3,500	169-244	£35,745	£37,140
Ducato Van Maxi 40 L4H2 Multijet3 2.2 180PS S&S Auto MY25.5	295.HG6.2	N2	2,030	15	4,250	199-355	£39,245	£40,466
WINDOW VANS								
Ducato Window Van Maxi 40 L4H2 Multijet3 2.2 140PS S&S Manual MY25.5	295.HH3.2	N2	2,050	15	4,250	169-244	£36,195	£37,416
Ducato Window Van Maxi 40 L4H2 Multijet3 2.2 180PS S&S Auto MY25.5	295.HH6.2	N2	2,115	15	4,250	201-348	£39,695	£40,916
CHASSIS CABS								
Ducato Chassis Cab Maxi 35 L2H1 Multijet3 2.2 140PS S&S Manual MY25.5	295.AC3.2	Nl	1,695	-	3,500	177-310	£31,155	£32,550
Ducato Chassis Cab Maxi 35 L3H1 Multijet3 2.2 140PS S&S Manual MY25.5	295.BC3.2	N1	1,675	-	3,500	177-310	£31,695	£33,090
CHASSIS CREW CABS								
Ducato Chassis Crew Maxi 35 L3H1 Multijet3 2.2 140PS S&S Manual MY25.5	295.BD3.2	N1	1,460	-	3,500	177-310	£33,045	£34,440
PLATFORM CABS (ORDER WITH OPTION 292)								
Ducato Platform Cab Maxi 35 L3H1 Multijet3 2.2 140PS S&S Manual MY25.5	295.BC3.2	N1	1,700	-	3,500	177-310	£31,695	£33,090
DROPSIDE CABS								
Ducato Dropside Maxi 35 L4H1 Multijet3 2.2 140PS S&S Manual MY25.5	295.C73.2	Nl	1,475	_	3,500	169-306	£34,665	£36,060
Ducato Dropside Crew Cab Maxi 35 L3H1 Multijet3 22 140PS S&S Manual MY25.5	295.B93.2	Nl	1,290	-	3,500	169-306	£35,745	£37,140
TIPPER CABS								
Ducato Tipper Maxi 35 L2H1 Multijet3 2.2 140PS S&S Manual MY25.5	295.A73.2	N1	1,145	-	3,500	169-306	£37,635	£39,030

# Equipment

Standard Equipment O Optional P Optional as part of pack	Ducato Panel	Primo Panel	Ducato Chassis Platform Cab
COMFORT AND CONVENIENCE			
Air conditioning (Manual on Diesel, Automatic on Electric)	•		•
Automatic Climate Control	Р	•	Р
Rear parking sensors	•	•	
Front electric windows	•	•	•
Twin lens door mirrors with electrically adjustable and heated upper mirror	•		•
Electric folding twin lens door mirrors with electrically adjustable and heated upper mirror	Р	•	Р
Cruise control with variable speed limiter (not available on Electric or 440 versions)	•	•	•
Two cup holders and mobile phone storage in centre of lower dashboard	•	•	•
Electric Parking Brake	Electric only	•	Electric only
Keyless Entry and Go	Р	•	Р
230V Socket	Р	•	Р
Electric Power Steering	•	•	•
<b>City plus pack</b> : Blind Spot Assist and Rear Cross Path Detection, Electric Folding Mirrors, 360° Perimeter Parking Sensors, Digital Rearview Mirror	Р	•	Р
INTERIOR			
6-Way Driver's Seat with Lumbar & Armrest	•	•	•
Dual passenger benchseat	•	•	•
Premium trim (Standard on Electric)	Р	•	
<b>Premium Cab Pack</b> : rearview camera with dynamic gridlines, chromed airvents, leather steering wheel, compartment under driver's seat, upgraded seat trim	Р	•	
TECHNOLOGY AND ENTERTAINMENT			
5" screen with DAB radio Bluetooth® and single USB (Diesel)	•		•
7" colour touchscreen display DAB/FM/AM Apple CarPlay / Android Auto™ (Electric)	•		•
<b>Techno plus pack:</b> 10" Touchscreen Radio NAV (TomTom®) with Bluetooth®, Android Auto™, Apple CarPlay™ (AA/CP), double USB charging Port (A type & C type), automatic climate control, Connected Services (6mnths subscription included), wireless charger, full digital cockpit	Р	•	Р
Full 7" Digital Cluster	Electric only	•	Electric only
Connected Services	Electric only	•	Electric only
EXTERIOR			
Side rubbing strips	•	•	
Steel wheels with centre cap			

# Equipment

• Standard Equipment O Optional P Optional as part of pack **Ducato Panel** Primo Panel Steel wheels with covers Twin unglazed rear doors (opening to 180° - Panel Van) Nearside sliding side loading door • Aerodynamic kit: Central Spoiler, Air Guides, Active Grille Shutter Fixed full width steel bulkhead **SAFETY** Remote control central deadlocking with immobiliser Electronic stability control (ESC) Driver's airbag Double passenger airbag Dead locks Fix and go kit Perimeter alarm Rear visibility camera Ρ Tyre Pressure Monitoring System (TPMS) Advanced Emergency Braking System (AEBS) Lane Support System Traffic Sign Recognition **Driver Drowsiness Detection** Intelligent Speed Assist Global telematics box Visibility plus pack: rain and dusk sensors + high beam recognition, fog lights with cornering Р Ρ function, full LED headlamps **CONVERSIONS** Electrical interface supply socket Special order electrics - loom extension Exclusion of the rear cab bulkhead (Platform Cab) **WINDOW VANS** Twin glazed rear doors (opening to 180°) Glazing to row 2, 3 and nearside sliding side loading door

<ul><li>Standard Equipment</li><li>Not Available</li></ul>	Option Code	Panel	Window	Chassis Cab	Back to Back	Dropside	Tipper	Linked options	Incompatible options	Comments
DOORS AND WINDOWS										
Glazed sliding side door	520	£230	•	-	-	-	-			Not available on L2H1 Panel Vans
2nd sliding side door (unglazed)	055	£410	£410	-	_	-	-			
2nd sliding side door (glazed)	520 + 055	£640	£640	-	-	-	-			Diesel only. Not available on L2H1 Panel Vans
Sliding glass in sliding doors	644	-	£320	-	-	-	-			
270° degree opening rear doors	619	£270	£270	_	-	-	-			
WHEELS, TYRES AND SUSPENSION										
Double leaf rear suspension (Diesel)	077	-	-	£110	-	£110	£110			Diesel only Standard on N2
Full wheel hub caps	878	£90	£90	£90	£90	£90	£90			Diesel only Standard on Primo
Spare wheel and winch	4DH	£180	£180	£180	-	£180	£180			
INTERIOR										
Smart tachograph	0TK	£630	£630	£630	£630	£630	£630	835		Standard on N2 versions
Glazed bulkhead	199	£140	-	-	-	-	_			
Front side air bags & window bags	505	£540	£540	£540	-	_	_	297 454 835 AW5 CJ1		Not available on Chassis Crew Cab
Additional plip key with remote control	4YV	£50	£50	£50	£50	£50	£50		AW5	
Rearview camera with dynamic gridlines	316	£200	£200	£200	£200	£200	£200			
7" colour touchscreen display DAB/FM/AM Apple CarPlay / Android Auto™	C7D	£400	£400	£400	-	£400	£400			
EXTERIOR										
Fixed towing hook	6JA	£500	£500	£500	-	£500	•			Diesel only

<ul><li>Standard Equipment</li><li>Not Available</li></ul>	Option Code	Panel	Window	Chassis Cab	Back to Back	Dropside	Tipper	Linked options	Incompatible options	Comments
CONVERSIONS AND FLEET ONLY										
External rear-view mirrors for body size kit 2.35m	042	-	-	£140	-	•	•			
Single passenger seat inc armrest & lumbar adjustment	297 + 454	£50	£50	£50	£50	£50	£50	CJI		
Loose Rear Lights	4EA	-	-	£100	-	-	-			
Oversized rear suspensions	4GM	_	_	£270		_	-		077	N1 Diesel only
Twin glazed rear doors	519 + 029	£230	•	-	-	-	-	029 AWE		Not available on L2H1 Panel Vans
Capucine shelf exclusion	55Q	£0	£0	£0	£0			OTL		
Speed limiter (56mph)	58E	£0	£0	£0	£0	£0	£0		5BF	Standard on N2 versions
Speed limiter (62 mph)	5BF	£0	£0	-	-	-	-		58E	Available on N2 Diesel versions only
Exclusion speed limiter	4XH	£0	£0	-	£0	-	-	OTL		Available on N2 versions only
Smart tachograph exclusion	OTL	£0	£0	-	£0	_	_	4XH		Available on N2 versions only
Special order electrics - loom extension	391	-	-	£50	£50	-	-			
Remove bulkhead*	72X	£150	£150	-	-	-	-	C7B +8RS / AW5		Only available if ordered with Premium Cab Pack
DAB radio antenna integrated in right external mirror	54Q	£130	£130	£130	£130	£130	£130			
Platform Cab	292	-	-	£0	-	-	-			
WORK PACKS										
Worksite Heavy Pack: - Traction plus - M&S all-season 3PMSF tyres - Double leaf rear suspension - Spare wheel and winch - Wheelarch moulding	AVU	£770	-	-	-	£1,040	-			Available on NI Heavy Diesel only
Cargo Pack: - 12v socket cargo area - 270° Rear opening doors - Rear/Sliding door activated central LED in cargo area	C7F	£320	-	-	-	-	-			

<ul><li>Standard Equipment</li><li>Not Available</li><li>WORK PACKS</li></ul>	Option Code	Panel	Window	Chassis Cab	Back to Back	Dropside	Tipper	Linked options	Incompatible options	Comments
Conversion Pack: - Transformation socket - 220A alternator - 105Ah battery	AWE	£230	•	•	•	-	-			Diesel only
City & Visibility Plus Pack:  - Blind spot assist + rear cross path detection  - Electric folding wing mirrors  - 360° Perimeter parking sensors  - Digital rearview mirror  - Rain and dusk sensors + high beam recognition  - Fog lights with cornering function  - Full LED headlamps	AW8 + 38C	£1,800	£1,800	-	-	-	-			Standard on Ducato Primo Brings in Premium Fabric Trim and 230v Cabin Socket
TECHNOLOGY PACKS  L2 Autonomous driving pack: - L2 Autonomous driving - Keyless entry & go - Electric parking brake - 10" Touchscreen radio with TomTom® nav and Bluetooth, AA+CP - Double USB charging ports (A Type + C Type) - 230v socket in cabin - Automatic climate control - Wireless charger - Full digital instrument cluster - Chromed effect airvents - Leather steering wheel - Compartment under drivers seat - Rain and dusk sensors + high beam recognition - Fog lights with cornering function	C95	£2,700	£2,700	-	-	-	-			Diesel only
Techno Pack: - 10" Touchscreen radio with TomTom® Navigation, Bluetooth, Android Auto™ / Apple CarPlay™ - Double USB charging point (type A + type C) - Leather steering wheel - Chromed effect airvents	C8T	£800	£800	-	-	-	-			Electric only
Techno Plus Pack: -10" Touchscreen radio with TomTom® Navigation, Bluetooth, Android Auto™ / Apple CarPlayTM - Automatic climate control - Connected Services - Double USB charging point (type A + type C) - Wireless charger - Full digital cockpit	AWA	£1,490	£1,490	£1,490	-	£1,490	£1,490			Standard on Ducato Primo. Diesel only

<ul><li>Standard Equipment</li><li>Not Available</li></ul>	Option Code	Panel	Window	Chassis Cab	Back to Back	Dropside	Tipper	Linked options	Incompatible options	Comments
TECHNOLOGY PACKS										
Premium Techno Pack:  - Techno Pack Bev  - Rearview camera  - Keyless entry & go  - Wireless charger	C8W	£1,500	£1,500	-	-	-	-			Electric only
Handsfree Pack:  - Keyless entry and go  - Electric parking brake  - 230v socket	AW5	£450	£450	£450	-	-	-	C78 & 8RS		Standard on Ducato Primo. Diesel only
Handsfree & Camera Pack - BEV only: - Rearview camera - Keyless entry & go - Wireless charger - Double USB charging port (type A + type C)	C8S	£690	£690	-	-	-	-			Electric only
STYLE PACKS										
Premium Cab Pack  - Rearview camera  - Chromed air vents  - Leather steering wheel  - Compartment under driver's seat	C7B + 8RS	£550	£550	-	-	-	-			Diesel only. Standard on Ducato Primo
Style & Visibility Plus Pack:  - Painted front bumpers  - Black skid plates  - 16" Alloy diamond black wheels  - Rain & dusk sensors + high beam recognition  - Fog lights with cornering function  - Full LED headlamps	AYP + 38C	£1,350	£1,350	£1,350	£1,350	-	-			N1 Diesel Light Manual variants only





<ul><li>Standard Equipment</li><li>Not Available</li></ul>	Option Code	Panel	Window	Chassis Cab	Back to Back	Dropside	Tipper	Linked options	Incompatible options	Comments
STYLE PACKS										
Style & Visibility Plus Pack:  - Painted front bumpers  - Black skid plates  - 16" alloy diamond black wheels  - Rain & dusk sensors + high beam recognition  - Fog lights with cornering function  - Full LED headlamps	AYQ + 38C	£1,350	£1,350	£1,350	£1,350	-	-			N1 Auto and/or Heavy versions only
City Plus, Visibility plus and Style Pack (N1 Light Manual) - City plus pack - Visibility plus pack - Painter front bumper - Black skid plates - 16" alloy diamond black wheels	BPF	£2,070	-	-	-	_	-			
City Plus, Visibility plus and Style Pack (N1 Heavy and/or Auto)  - City plus pack  - Visibility plus pack  - Painter front bumper  - Black skid plates  - 16" alloy diamond black wheels	BPG	£2,070	-	-	-	-	-			



# Safety Features



## **Digital Rearview Camera\***

- The digital rearview camera comes as a further help when driving and parking vans.
- The central 8,9" LCD high-resolution display provides an unobstructed and ultra-clear view of the road behind, thanks to a wide-angle, high-definition camera located inside the rear third stop lamp.
- Ability to function both as a digital LCD display or a standard optical rearview mirror.
- · Auto-dimming, activation and brightness control by buttons located on mirror.



## 360° Perimeter Parking Sensors\*

- The 360° Perimeter Parking Sensors alert the driver both acoustically, and visually when the vehicle is approaching obstacles or going through tight spaces.
- Depending on vehicle length there are either 14, or 16 sensors surrounding the vehicle. These are located on the front and rear bumpers and also within the side mouldings.
- Visual warning is displayed on the cluster screen by the vehicle shape surrounded by three proximity bands, showing the vehicle distance from obstacles, while the acoustic (beep) warning increases in frequency as the obstacle comes nearer, becoming a continuous beep as the obstacle distance is lower than 30 centimeters.




## Blind Spot Information System (BSIS)\*\*

Audio and visual warnings will alert the driver in case the vehicle approaches an obstacle or has to go through narrow spaces. The audible warning will keep beeping with increased intensity as the obstacle is nearing and will decrease as soon as the obstacle is out of reach.

## Moving Off Information System (MOIS)\*\*

The Moving off information system and Blind spot information systems works together in order to allow the recognition of side obstacles inside the blind side area opposite to driver's position. Driver is alerted by a visual warning on cluster and the mirrors, when approaching obstacles located into the blind lateral area.



## **Advanced Emergency Braking System (AEBS)**

This system alerts the driver of a potential collision through a combination of visual and then audible warnings. Should the driver fail to react, autonomous emergency braking is triggered to help mitigate/avoid the impact by reducing the speed of the vehicle. AEBS provides additional assistance to optimise braking performance while a dynamic brake support function boosts pressure to help further minimise stopping distances.

# Colours













# Wheels



15" steel wheels with half wheel cover

Standard on Ducato



15" steel wheels with fullsize wheel cover

Standard on Primo Diesel



16" steel wheels with fullsize wheel cover



**16" alloy wheels**Optional as part of a pack

# **Interiors**

Standard Trim
"Crepe" black
with single
stitches and
fabric headrest



Premium Trim "Crepe" black with backrest graphic. Double silver side stitches and Fabric headrest 076 + 8RS



# Technical Electric Engine

		Battery Electric Vehicle 110kWh										
MOTOR												
Torque		4	10Nm									
Max power CEE		205kW (279PS)										
Battery Capacity			95ah									
Operating voltage			400V									
Number of cells			180									
TRANSMISSION												
Gearbox	Aut	omatic electric c	drive with fixed ge	ear ratio								
SERVICE												
	Every	1 Year or 16,000 n	niles whichever c	omes first								
BATTERY WARRANTY												
		8 years / 100,000 miles / 70% capacity										
CHARGING TIMES												
Single Phase Wallbox (7.4kW) - Type 2 Socket		16h 40m (100%)										
Three Phase Wallbox (22kW) - Type 2 Socket		6h 05	5m (100%)									
Rapid (DC) Charging (150 kW) - CCS Socket		55m	(5 to 80%)									
SUSPENSION												
Front			lower wishbone dampers and an		gs,							
Rear	Up to 3.5 Tonne GVW version Over 3.5 Tonne GVW ve	Up to 3.5 Tonne GVW versions: Longitudinal leaf springs with telescopic hydraulic dampe Over 3.5 Tonne GVW versions: Reinforced twin leaf springs with telescopic hydraulic dampers										
BRAKES												
Front		Ventil	ated discs									
Rear			Discs									
PERFORMANCE	35 VARIANTS		40 VAR	IANTS								
	L3H2	L3H2	L3H3	L4H2	L4H3							
Combined Range (miles)	235	263	254	262	252							
Max speed (mph)*	81 56 56 56											

 $<sup>^{\</sup>ast}$  All N2 vehicles are legally required to be speed limited to 56mph.

# Electric Range

		combine alculate		City (calculated)			
	Electric Range (KM)	Electric Range (Miles)	Electric Energy Consumption (Wh/km)	Electric Range (KM)	Electric Range (Miles)	Electric Energy Consumption (Wh/km)	
ELECTRIC							
E-Ducato Van 35 L3H2 279PS 110kWh Auto MY25.5	378	235	294	537	334	207	
E-Ducato Van 40 L3H2 279PS 110kWh Auto MY25.5	424	263	262	504	313	220	
E-Ducato Van 40 L3H3 279PS 110kWh Auto MY25.5	409	254	271	488	303	227	
E-Ducato Van 40 L4H2 279PS 110kWh Auto MY25.5	422	262	263	501	311	222	
E-Ducato Van 40 L4H3 279PS 110kWh Auto MY25.5	406	252	273	491	305	226	
E-Ducato Window Van 40 L4H2 279PS 110kWh Auto MY25.5	422	262	263	501	311	222	
E-Ducato Chassis Cab 40 L3H1 279PS 110kWh Auto MY25.5	N/A*	N/A*	N/A*	N/A*	N/A*	N/A*	

As all E-Ducato vans are homologated as Heavy and are not subject to WLTP testing, the range and electric consumption figures mentioned are calculated using WLTP Test Procedure methodology, on which the basis of all new Light Commercial or Passenger vehicles up to a GVW of 3500kgs are type approved, from 1 September 2018. The figures may vary depending on actual conditions of use and on differing factors such as: speed, thermal comfort on board the vehicle, driving style and outside temperature. The charging time depends in particular; on the power of the charger on board the vehicle, the charging cable and the type of cable used. Please contact your dealer or refer to www.fiatprofessional.com/uk for further information.

Actual range and consumption will depend on payload, weather, driving conditions, driving styles etc. and these published figures can only be used as a guide.

Fuel consumption and CO2 figures are provided for comparative purposes only and may not reflect real life driving results, which will depend upon a number of factors including the accessories fitted (post-registration), variations in weather, driving styles and vehicle load. Only compare fuel consumption and CO2 figures with other vehicles tested to the same technical procedure.

These figures were obtained after the battery had been fully charged. The E-Ducato is a battery electric vehicle requiring mains electricity for charging. Figures shown are for comparability purposes. Only compare fuel consumption, CO2 and electric range figures with other vehicles tested to the same technical procedures. Values may not reflect real life driving results, which will depend upon a number of factors including the starting charge of the battery, accessories fitted (post-registration), variations in weather, driving styles and vehicle load.

<sup>\*</sup>Chassis figures are subject to the weight of the conversion fitted.

# **Technical** Diesel Engine

	2.2 140PS S&S	2.2 180PS S&S						
ENGINE								
Fuel system	Diesel: High pressure turbo	o-charged direct injection						
Capacity (cc)	2184							
Cylinders / Valves	4 / 16							
Max power CEE	103kW (140PS) / 3500rpm	132kW (180PS) / 3500rpm						
Max torque CEE	Manual: 350Nm (258lb/ft) / 1400rpm Auto: 380Nm (280lb/ft) / 1400rpm	Auto: 450Nm (332lb/ft) / 1500rpm						
Bore and stroke (mm)	83.8 bore,	99 stroke						
Euro status	Euro (	BE BIS						
Stop & Start system	✓							
Servicing	Oil & Filter change (normal usage) - Every 2 Years or 16,000 miles, whichever comes Oil & Filter change (arduous usage*) - Every 1 Year or 16,000 miles, whichever comes Air, Fuel, Passenger Compartment filters change - Every 2 years Brake Fluid change - Every 2 years							
TRANSMISSION								
Gearbox	Manual / A	Automatic						
Number of gears	Mani Aut	<del></del>						
Driven wheels	Fro	ont						
SUSPENSION								
Front	Pseudo-Macpherson type with lower wishb dampers and	one struts, coil springs, telescopic hydraulic d anti-roll bar						
Rear	Up to 3.5 Tonne GVW versions: Longitudinal leaf springs with telescopic hydraulic dam Over 3.5 Tonne GVW versions: Reinforced twin leaf springs with telescopic hydrauli dampers							
BRAKES								
Front	Ventilated discs							
Rear	Discs							
TANK CAPACITY								
Fuel tank capacity Litres (gallons)	90 (19.8)							
AdBlue tank capacity Litres	18	.6						

BlueHDI vehicles will need regular AdBlue® top-ups between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top-up.
\*Arduous usage defined as engaged in frequent short stop-start driving i.e. Multi-drop delivery courier

# CO<sub>2</sub> & Fuel Economy

	Coml	O <sub>2</sub> pined		WLTP Ed Coml		
	Low (g/km)	High (g/km)	Low (I/100km)	High (I/100km)	Low (mpg)	High (mpg)
DIESEL LIGHT						
Ducato Van 35 L2H1 Multijet3 2.2 140PS S&S Man MY25.5	169	240	6.4	9.1	44.0	31.0
Ducato Van 35 L2H2 Multijet3 2.2 140PS S&S Man MY25.5	169	240	6.4	9.1	44.0	31.0
Ducato Van 35 L2H2 Multijet3 2.2 140PS S&S Auto MY25.5	183	320	7.0	12.2	40.6	23.2
Ducato Van 35 L3H2 Multijet3 2.2 140PS S&S Man MY25.5	169	240	6.4	9.1	44.0	31.0
Ducato Van 35 L3H2 Multijet3 2.2 140PS S&S Auto MY25.5	183	320	7.0	12.2	40.6	23.2
Ducato Van 35 L3H3 Multijet3 2.2 140PS S&S Man MY25.5	169	240	6.4	9.1	44.0	31.0
Ducato Van 35 L2H2 Multijet3 2.2 140PS S&S Man Primo MY25.5	169	240	6.4	9.1	44.0	31.0
Ducato Van 35 L3H2 Multijet3 2.2 140PS S&S Man Primo MY25.5	169	240	6.4	9.1	44.0	
Ducato Van 35 L2H2 Multijet3 2.2 140PS S&S Auto Primo MY25.5  Ducato Van 35 L3H2 Multijet3 2.2 140PS S&S Auto Primo MY25.5	183	320 320	7.0	12.2	40.6	23.2
Ducato Window Van 35 L3H2 Multijet3 2.2 140PS S&S Man MY25.5	169	240	6.4	11.9	44.0	23.7
Ducato Back to Back 35 Multijet3 2.2 140PS S&S Man MY25.5	305	305	6.7	11.8	42.0	24.0
Ducato Chassis Cab 35 L2H1 Multijet3 2.2 140PS S&S Man MY25.5	177	310	6.7	11.8	42.0	24.0
Ducato Chassis Cab 35 L2H Multijets 2.2 140PS S&S Man MY25.5	177	310	6.7	11.8	42.0	24.0
Ducato Chassis Cab 35 L3H1 Multijet3 2.2 140PS S&S Auto MY25.5	177	310	6.7	11.8	42.0	24.0
Ducato Platform Cab 35 L3H1 Multijet3 2.2 140PS S&S Man MY25.5	177	310	6.7	11.8	42.0	24.0
Ducato Dropside 35 L3H1 Multijet3 2.2 140PS S&S Man MY25.5	169	306	6.4	11.6	44.0	24.3
DIESEL MAXI	109	300	0.4	11.0	44.0	24.5
Ducato Van Maxi 35 L3H2 Multijet3 2.2 140PS S&S Man MY25.5	169	244	6.4	9.3	44.0	30.4
Ducato Van Maxi 35 L4H2 Multijet3 2.2 140PS S&S Man MY25.5	169	244	6.4	9.3	44.0	30.4
Ducato Van Maxi 35 L4H3 Multijet3 2.2 140PS S&S Man MY25.5	169	244	6.4	9.3	44.0	30.4
Ducato Van Maxi 40 L4H2 Multijet3 2.2 180PS S&S Auto MY25.5	199	355	7.6	13.5	37.4	20.9
Ducato Window Van Maxi 40 L4H2 Multijet3 2.2 140PS S&S Man MY25.5	169	244	7.3	11.9	38.8	23.7
Ducato Window Van Maxi 40 L4H2 Multijet3 2.2 180PS S&S Auto MY25.5	201	348	7.6	13.2	36.9	21.3
Ducato Chassis Cab Maxi 35 L2H1 Multijet3 2.2 140PS S&S Man MY25.5	177	310	6.7	11.8	42.0	24.0
Ducato Chassis Cab Maxi 35 L3H1 Multijet3 2.2 140PS S&S Man MY25.5	177	310	6.7	11.8	42.0	24.0
Ducato Chassis Crew Cab Maxi 35 L3H1 Multijet3 2.2 140PS S&S Man MY25.5	177	310	6.7	11.8	42.0	24.0
Ducato Platform Cab Maxi 35 L3H1 Multijet3 2.2 140PS S&S Man MY25.5	177	310	6.7	11.8	42.0	24.0
Ducato Dropside Crew Cab Maxi 35 L3H1 Multijet3 22 140PS S&S Man MY25.5	169	306	6.4	11.6	44.0	24.3
Ducato Dropside Maxi 35 L4H1 Multijet3 2.2 140PS S&S Man MY25.5	169	306	6.4	11.6	44.0	24.3
Ducato Tipper Maxi 35 L2H1 Multijet3 2.2 140PS S&S Man MY25.5	169	306	6.4	11.6	44.0	24.3

# Weights & Loads

	Gross Vehicle Weight (Gvw) (kg)	Mass in Running Order (MIRO) (kg)	Kerb Weight (kg)	Maximum Payload (kg)	Max Plated Front Axle (kg)	Max Plated Rear Axle (kg)	Gross Train Weight (GTW) (kg)	Maximum Braked Towing Weight (kg)	Max. Unbraked Towing Weight (kg)	Maximum Towball Weight (kg)	Number of Seats
ELECTRIC											
E-Ducato Van 35 L3H2 272PS 110kWh Auto MY25.5	3,500	2,865	2,790	710	2,100	2,400	5,500	2,400	750	100	3
E-Ducato Van 40 L3H2 272PS 110kWh Auto MY25.5	4,250	2,865	2,790	1,460	2,100	2,400	5,500	2,400	750	100	3
E-Ducato Van 40 L3H3 272PS 110kWh Auto MY25.5	4,250	2,890	2,815	1,435	2,100	2,400	5,500	2,400	750	100	3
E-Ducato Van 40 L4H2 272PS 110kWh Auto MY25.5	4,250	2,910	2,835	1,415	2,100	2,400	5,500	2,400	750	100	3
E-Ducato Van 40 L4H3 272PS 110kWh Auto MY25.5	4,250	2,940	2,865	1,385	2,100	2,400	5,500	2,400	750	100	3
E-Ducato Window Van 40 L4H2 272PS 110kWh Auto MY25.5	4,250	2,910	2,835	1,415	2,100	2,400	5,500	2,400	750	100	3
E-Ducato Chassis Cab 40 L3H1 272PS 110kWh Auto MY25.5	4,250	2,555	2,480	1,770	2,100	2,400	5,500	2,400	750	100	3
DIESEL LIGHT											
Ducato Van 35 L2H1 Multijet3 2.2 140PS S&S Man MY25.5	3,500	2,075	2,000	1,500	1,880	2,000	6,000	2,500	750	100	3
Ducato Van 35 L2H2 Multijet3 2.2 140PS S&S Man MY25.5	3,500	2,100	2,025	1,475	1,880	2,000	6,000	2,500	750	100	3
Ducato Van 35 L2H2 Multijet3 2.2 140PS S&S Auto MY25.5	3,500	2,160	2,085	1,415	1,960	2,000	6,000	2,500	750	100	3
Ducato Van 35 L3H2 Multijet3 2.2 140PS S&S Man MY25.5	3,500	2,150	2,075	1,425	1,880	2,000	6,000	2,500	750	100	3
Ducato Van 35 L3H2 Multijet3 2.2 140PS S&S Auto MY25.5	3,500	2,210	2,135	1,365	1,960	2,000	6,000	2,500	750	100	3
Ducato Van 35 L3H3 Multijet3 2.2 140PS S&S Man MY25.5	3,500	2,175	2,100	1,400	1,880	2,000	6,000	2,500	750	100	3
Ducato Van 35 L2H2 Multijet3 2.2 140PS S&S Man Primo MY25.5	3,500	2,100	2,025	1,475	1,880	2,000	6,000	2,500	750	100	3
Ducato Van 35 L3H2 Multijet3 2.2 140PS S&S Man Primo MY25.5	3,500	2,150	2,075	1,425	1,880	2,000	6,000	2,500	750	100	3
Ducato Van 35 L2H2 Multijet3 2.2 140PS S&S Auto Primo MY25.5	3,500	2,160	2,085	1,415	1,960	2,000	6,000	2,500	750	100	3
Ducato Van 35 L3H2 Multijet3 2.2 140PS S&S Auto Primo MY25.5	3,500	2,210	2,135	1,365	1,960	2,000	6,000	2,500	750	100	3
Ducato Window Van 35 L3H2 Multijet3 2.2 140PS S&S Man MY25.5	3,500	2,150	2,075	1,425	1,880	2,000	6,000	2,500	750	100	3
Ducato Dropside 35 L3H1 Multijet3 2.2 140PS S&S Man MY25.5	3,500	2,100	2,025	1,475	1,880	2,000	6,000	2,500	750	100	3

# Weights & Loads

	Gross Vehicle Weight (Gvw) (kg)	Mass in Running Order (MIRO) (kg)	Kerb Weight (kg)	Maximum Payload (kg)	Max Plated Front Axle (kg)	Max Plated Rear Axle (kg)	Gross Train Weight (GTW) (kg)	Maximum Braked Towing Weight (kg)	Max. Unbraked Towing Weight (kg)	Maximum Towball Weight (kg)	Number of Seats
DIESEL LIGHT											
Ducato Chassis Cab 35 L2H1 Multijet3 2.2 140PS S&S Man MY25.5	3,500	1,840	1,765	1,735	1,850	2,000	6,000	2,500	750	100	3
Ducato Chassis Cab 35 L3H1 Multijet3 2.2 140PS S&S Man MY25.5	3,500	1,860	1,760	1,740	1,850	2,000	6,000	2,500	750	100	3
Ducato Chassis Cab 35 L3H1 Multijet3 2.2 140PS S&S Auto MY25.5	3,500	1,920	1,845	1,655	1,960	2,000	6,000	2,500	750	100	3
Ducato Platform Cab 35 L3H1 Multijet3 2.2 140PS S&S Man MY25.5	3,500	1,835	1,785	1,715	1,850	2,000	6,000	2,500	750	100	3
DIESEL MAXI											
Ducato Van Maxi 35 L3H2 Multijet3 2.2 140PS S&S Man MY25.5	3,500	2,190	2,190	1,310	2,100	2,400	6,500	3,000	750	120	3
Ducato Van Maxi 35 L4H2 Multijet3 2.2 140PS S&S Man MY25.5	3,500	2,235	2,235	1,265	2,100	2,400	6,500	3,000	750	120	3
Ducato Van Maxi 35 L4H3 Multijet3 2.2 140PS S&S Man MY25.5	3500	2,265	2,265	1,235	2,100	2,400	6,500	3,000	750	120	3
Ducato Van Maxi 40 L4H2 Multijet3 2.2 180PS S&S Auto MY25.5	4,250	2,295	2,220	2,030	2,100	2,400	6,500	2,250	750	100	3
Ducato Window Van Maxi 40 L4H2 Multijet3 2.2 140PS S&S Man MY25.5	4,250	2,275	2,200	2,050	2,100	2,400	6,500	2,250	750	100	3
Ducato Window Van Maxi 40 L4H2 Multijet3 2.2 180PS S&S Auto MY25.5	4,250	2,210	2,135	2,115	2,100	2,400	6,500	3,000	750	100	3
Ducato Chassis Cab Maxi 35 L2H1 Multijet3 2.2 140PS S&S Man MY25.5	3500	1,880	1,805	1,695	2,100	2,400	6,500	3,000	750	120	3
Ducato Chassis Cab Maxi 35 L3H1 Multijet3 2.2 140PS S&S Man MY25.5	3,500	1,900	1,825	1,675	2,100	2,400	6,500	3,000	750	120	3
Ducato Chassis Crew Cab Maxi 35 L3H1 Multijet3 2.2 140PS S&S Man MY25.5	3,500	2,115	2,040	1,460	2,100	2,400	6,500	3,000	750	120	7
Ducato Platform Cab Maxi 35 L3H1 Multijet3 2.2 140PS S&S Man MY25.5	3,500	1,875	1,800	1,700	2,100	2,400	6,500	3,000	750	120	3
Ducato Dropside Crew Cab Maxi 35 L3H1 Multijet3 22 140PS S&S Man MY25.5	3,500	2,285	2,210	1,290	2,100	2,400	6,500	3,000	750	120	
Ducato Dropside Maxi 35 L4H1 Multijet3 2.2 140PS S&S Man MY25.5	3,500	2,100	2,025	1,475	2,100	2,400	6,000	2,500	750	120	3
Ducato Tipper Maxi 35 L2H1 Multijet3 2.2 140PS S&S Man MY25.5	3,500	2,430	2,355	1,145	2,100	2,400	6,000	3,000	750	120	3

# Dimensions

External body length

Internal body length

External body width

Internal body width

	L2		Li	3	L4			
	H1	H2	H2	Н3	H2	Н3		
EXTERIOR DIMENSIONS (mm)								
Wheelbase	3,4	50	4,03	35		4,035		
Length	5,4	113	5,99	98		6,363		
Height	2,254	2,522	2,522	2,760	2,252	2,760		
Width (excl. door mirrors)	2,0	50	2,0!	50		2,050		
Front overhang	94	18	94	8		948		
Rear overhang	1,0	15	1,01	15		1,380		
INTERIOR DIMENSIONS (mm)								
Volume (m³)	10	11.5	13	15	15	17		
Load length at floor	3,12	20	3,70	05		4,070		
Load length at mid-height with bulkhead	2,9	14	3,5	55		3,920		
Load width (maximum)	1,8	70	1,87	70		1,870		
Load width between wheel arches	1,4:	22	1,42	22		1,422		
Load height (maximum)	1,662	1,932	1,932	2,172	1,932	2,172		
Load sill height	535-	565	535-	565	5	35-565		
DOOR DIMENSIONS (mm)								
Side door width	1,25	50	1,250			1,250		
Side door height	1,485	1,755	1,755			1,755		
Rear doors width	1,50	62	1,56	62		1,562		
Rear doors height	1,520	1,790	1,790	2,030	1,790	2,030		
CHASSIS CAB DIMENSIONS (mm)								
VERSION		2H1 SIS CAB	L3HI CHASSIS CR CHASSIS CAB CAB			PLATFORM CAB		
Wheelbase	3,4	450	4,035	4,035	5	4,035		
Length	5,3	358	5,943	5,843	5,963			
Height	<u> </u>	254	2,254	2,254	1	2,254		
Width (excl. door mirrors)		050	2,050	2,050		2,050		
Front overhang	· · · · · · · · · · · · · · · · · · ·	48	948 948			948		
Rear overhang	9	60	960	860		980		
CHASSIS CAB DIMENSIONS (mm)								
VERSION		3H1 PSIDE	L4H1 DROPSIDE	3H1 CREW DROPSI		L2H1 TIPPER		
Wheelbase	4,0	035	4,035	4,035	5	3,450		
Length	6,	328	6,693	6,228	3	5,742		
Height	2,	376	2,376	2,376	3	2,376		
Width (excl. door mirrors)	2,	100	2,100	2,100		2,100		
Front overhang	9	48	948	948		948		
Rear overhang	1,3	345	1,710	1,245	j	1,344		

3,895

3,835

2,100

2,040

4,260

4,200

2,100

2,040

2,950

2,890

2,100

2,040

3,150

3,040

2,100

2,027



# Factory conversions

# **Dropside\***



The Ducato dropside features an open platform with fold down side panels to make loading and unloading of goods effortless.

- Frame and cross-members in powder coated high-strength steel.
- Plywood load floor (12mm thick) with non-slip and scratch resistant resin coating.
- 400mm high and 25mm thick anodised aluminium removable side and rear panels with recessed hinges. Edge profiled for tarpaulin fixation.
- Integrated cabin protection made from powder coated high-strength steel with perforations to improve driver's visibility. Two lateral lashing rings.
- Integrated lashing rings on load floor (conforming to EN 12640 standards) secured with rubber plugs to avoid vibration.
- Rear plastic mudguards.

<sup>\*</sup>Pictures do not show UK specification, Alloy wheels are not available in the UK

# Tipper\*



# The Ducato tipper has an open platform that can be easily lifted to dump out the load. Our factory converted tipper is a one-way design.

- Frame and cross-members in powder coated high-strength steel.
- Load floor made from powder coated high-strength steel, with "curved protection" at the rear which helps guide the flow of transported material as well as providing additional structural strength when loading and unloading.
- 400mm high anodised aluminium opening (180°) side panels and tipping pins with self-lubricating hinges and integrated roping hooks.
- Tailboard features dual-mode hinge enabling both tip-through and tip-over functions. Rear pillars are made from high-strength steel and feature a patented locking mechanism.
- Tipping angle of 45° with lifting time of 30-40 seconds.
- Integrated cabin protection made from powder coated high-strength steel with perforations to improve driver's visibility.
- Non-protruding 4-stage telescopic cylinder hydraulic ram. Control unit features anti-foam system for maximum tipping capability. 12-Volt System compliant to 2006/42/EC and 2009/19/EC with a pressure of 120 bar to limit overloading.
- Six integrated load lashing rings resistant to 800 daN.
- Rear plastic mudguards.



# **CONNECTED SERVICES**







## MY:ASSISTANT SAFETY AT YOUR FINGERTIPS

Services include Mopar®
Connect Crash Assistance,
available 24 hours a day,
Roadside Assistance support
and Theft Assistance that
can provide GPS coordinates
and will immobilise the
engine when the vehicle
stops to facilitate recovery.

# MY:REMOTE CONTROL YOUR VAN FROM A DISTANCE

Finding your vehicle has never been easier. Locate it on the map and follow the fastest route to get there.
You can receive alerts when your vehicle leaves a designated area or if the person driving it is travelling at excessive speed.

# MY:CAR KEEP YOUR VEHICLE IN PERFECT CONDITION

Provides up-to-date information about your vehicle such as the fuel level or tyre pressure to ensure that every journey is safe. Check the Vehicle Health Report with useful information and tips on how to take care of it.

# MY:JOURNEY TURN YOUR ITINERARIES INTO TRAVEL EXPERIENCES

My:Journey keeps track of your vehicles movements and allows you to view trips in a dashboard, add customised notes, merge multiple trips into one, and categorise trips as personal or business; to form a unique travel experience.

# MY:eCHARGE MANAGE PUBLIC AND PRIVATE CHARGING

A package which, through the use of dedicated features and mobile apps, allows you to find, use, pay and track recharges at public charging stations (easy Charge), as well as being able to manage charging with a Connected Wallbox.

# MY: FLEETMANAGER SIMPLIFY YOUR FLEET MANAGEMENT

my:FleetManager allows you to manage company fleets of cars and light commercial vehicles with maximum efficiency and safety. The most advanced Fleet Management solutions and Car Sharing solutions for car sharing among employees.







# Glossary of terms

## **Plated weight**

The maximum weight to which a vehicle or an axle may be loaded, determined either by the design of the components or by legislation. All commercial vehicles must carry a manufacturer's 'plate' showing the vehicle and axle gross 'plated weights'. It is an offence to drive a vehicle in a condition where any of these weights are exceeded.

#### **Kerb Weight**

The Minimum Mass minus the driver's weight. When Kerb Weight used, driver weight is included within the Maximum Indicative Payload weight.

#### **Minimum Mass**

Minimum Mass ('Mass in running order' on Certificate of Conformity and 'Mass in Service' on V5C form) is defined according to European Type Approval and include all fluids, tools and 90% fuel load/EV battery. It is minimum mass for this variant and does not consider local specification/trim or deletable options (specific to Ducato). Weights are also subject to manufacturing tolerances (EU Legislation allows 5% tolerance).

#### **Gross Vehicle Weight (GVW)**

The total permissible weight of a vehicle including payload and passengers, as shown on the manufacturer's plate.

# Gross Combination Weight (GCW)

The maximum permissible weight of a vehicle, including payload and passengers, combined with the total weight of any trailer it is towing. The maximum GCW weight limit is quoted on the vehicle plate and must not be exceeded.

#### **Payload**

The total permissible weight that can be carried without exceeding the vehicle's plated weight. Payload do not include driver but do take into consideration specification/trim level:

Weights are also subject to manufacturing tolerances (EU Legislation allows 5% tolerance). Payload does not consider any additional options that a customer may order.

#### **Roof loads**

Roof loads should be evenly distributed. Max roof load on L2 is 100kg, L3 150kg and L4 200kg

## **Maximum towing weight**

The maximum weight of any trailer and its load which may be towed within the limit of the vehicle's plated Gross Combination Weight (GCW). It is based on the ability of the vehicle – at full GCW – to restart on a 12% gradient, which is approximately 1 in 8.3, at sea level. At altitudes above 1500 metres, the engine output may drop with a corresponding reduction in towing capability. It is the operator's responsibility to ensure that the trailer noseweight does not cause the rear axle plated weight of the towing vehicle to be exceeded.

Always fit Fiat towing attachments and accessories available from your Fiat Commercial Vehicle Retailer. They are designed specifically for Fiat models and carry a 12-month warranty.

#### Commercial Vehicle Categories

Differences between N1 and N2 (Vehicles with GVW above 3500kg)

Category N: Goods vehicles

**Category N1:** Vehicles designed and constructed for the carriage of goods and having a maximum mass not exceeding 3.5 tonnes.

**Category N2:** Vehicles designed and constructed for the carriage of goods and having a maximum mass exceeding 3.5 tonnes but not exceeding 12 tonnes.

**Specific differences:** N2 vehicles are legally required to be speed limited at 56mph, and have a tachograph



## Fiat Professional FlexCare

# EXTENDED CARE PREMIUM Extended Warranty + Roadside Assistance

Offers new van buyers complete peace of mind throughout the duration and mileage of your chosen contract term for worry free driving and maximum coverage, with the additional benefit of roadside assistance.

## SERVICE CARE Scheduled Servicing

There's no need to worry about budgeting for your next service. Simply take out a Fiat Professional service care plan. You can then focus on the more important things in life, knowing your servicing costs are taken care of.

## **myFiatProfessional**

Take care of your vehicle with a click! Register now for personalised advice, dedicated tools and exclusive promotions are waiting for you.

## **BIK Calculator**

If you have private use of a company van for more than driving to and from work, you may be taxed on this benefit.

## **Vehicle Excise Duty**

V.E.D. rate for all light goods vehicles registered on or after 1 April 2025 and not exceeding 3,500kg: £345.



